

# GAIT<sup>®</sup> TRADING

---

GAIT<sup>®</sup> EZSET<sup>®</sup> FEDERAL



---

**GAIT TRADING Company Ltd**

120 Birch Avenue, PO Box 2006, Tauranga, New Zealand

Email: [sales@gait.co.nz](mailto:sales@gait.co.nz) | Office: +64 7 571 8277 | Fax: +64 7 578 3266

[www.gait.co.nz](http://www.gait.co.nz)

# CAPRI ENTRANCE SETS

## 400 Series

### ENTRANCE HANDLE SETS

- All Entrance Handle Sets have 60mm to 70mm Adjustable Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm

#### DOUBLE CYLINDER

Available in box packaging only

CODE	DESCRIPTION	FINISH
EZ410CABASC	Capri Entrance Handle Set with Double Cylinder Deadbolt & Bala knob inside	Satin Chrome
EZ410CAHNSC	Capri Entrance Handle Set with Double Cylinder Deadbolt & Hawthorn Lever inside	Satin Chrome
EZ410CAHNBLK	Capri Entrance Handle Set with Double Cylinder Deadbolt & Hawthorn Lever inside	Black
EZ410CACESC	Capri Entrance Handle Set with Double Cylinder Deadbolt & Cambridge Lever inside	Satin Chrome

#### SINGLE CYLINDER

Available in box packaging only

EZ400CABASC	Capri Entrance Handle Set with Single Cylinder Deadbolt & Bala knob inside	Satin Chrome
EZ400CAHNSC	Capri Entrance Handle Set with Single Cylinder Deadbolt & Hawthorn Lever inside	Satin Chrome
EZ400CAHNBLK	Capri Entrance Handle Set with Single Cylinder Deadbolt & Hawthorn Lever inside	Black
EZ400CACESC	Capri Entrance Handle Set with Single Cylinder Deadbolt & Cambridge Lever inside	Satin Chrome



INTERNAL KNOB & LEVER OPTIONS



Bala knob



Hawthorn lever



Cambridge lever



Inside turn

# MAYFAIR ENTRANCE SETS

## 400 Series

### ENTRANCE HANDLE SETS

- All Entrance Handle Sets have 60mm to 70mm Adjustable Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm

#### DOUBLE CYLINDER

Available in box packaging only

CODE	DESCRIPTION	FINISH
EZ410MABASC	Mayfair Entrance Handle Set with Double Cylinder Deadbolt & Bala knob inside	Satin Chrome
EZ410MAHNSC	Mayfair Entrance Handle Set with Double Cylinder Deadbolt & Hawthorn Lever inside	Satin Chrome
EZ410MAHNBLK	Mayfair Entrance Handle Set with Double Cylinder Deadbolt & Hawthorn Lever inside	Black
EZ410MACESC	Mayfair Entrance Handle Set with Double Cylinder Deadbolt & Cambridge Lever inside	Satin Chrome



#### SINGLE CYLINDER

Available in box packaging only

EZ400MABASC	Mayfair Entrance Handle Set with Single Cylinder Deadbolt & Bala knob inside	Satin Chrome
EZ400MAHNSC	Mayfair Entrance Handle Set with Single Cylinder Deadbolt & Hawthorn Lever inside	Satin Chrome
EZ400MAHNBLK	Mayfair Entrance Handle Set with Single Cylinder Deadbolt & Hawthorn Lever inside	Black
EZ400MACESC	Mayfair Entrance Handle Set with Single Cylinder Deadbolt & Cambridge Lever inside	Satin Chrome

#### INTERNAL KNOB & LEVER OPTIONS



Bala knob



Hawthorn lever



Cambridge lever



Inside turn

#### ACCESSORIES

EZ400CAPSCP	Screw cover cap for gripset	Satin Chrome
EZ400INTKNOBSCP	Internal Bala knob for Gripset	Satin Chrome
EZ9080SS	60-70mm Adjustable Spring Latch for Gripset	Satin Chrome
EZHNIINTERSCP	Hawthorn Internal Lever for Gripset	Satin Chrome



# COMBINATION SETS

## COMBINATION KNOB SETS

- All Combination Sets have 60mm to 70mm Adjustable Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm



## 300 Series

### SINGLE CYLINDER

CODE	DESCRIPTION	FINISH
EZ300BAALAB	Bala Entrance Lock with Single Cylinder Deadbolt keyed alike	Antique Brass
EZ300BAALPB	Bala Entrance Lock with Single Cylinder Deadbolt keyed alike	Polished Brass
EZ300BAALSS	Bala Entrance Lock with Single Cylinder Deadbolt keyed alike	Stainless Steel
EZ300CEALSC	Cambridge Entrance Lock with Single Cylinder Deadbolt keyed alike	Satin Chrome
EZ300HNALSN	Hawthorn Entrance Lock with Single Cylinder Deadbolt keyed alike	Satin Nickel
EZ300HNALBLK	Hawthorn Entrance Lock with Single Cylinder Deadbolt keyed alike	Black
EZ300OSALSS	Olympus Entrance Lock with Single Cylinder Deadbolt keyed alike	Stainless Steel



*Deadbolt in Stainless Steel*

## 310 Series

### DOUBLE CYLINDER

CODE	DESCRIPTION	FINISH
EZ310BAALAB	Bala Entrance Lock with Double Cylinder Deadbolt keyed alike	Antique Brass
EZ310BAALPB	Bala Entrance Lock with Double Cylinder Deadbolt keyed alike	Polished Brass
EZ310BAALSS	Bala Entrance Lock with Double Cylinder Deadbolt keyed alike	Stainless Steel
EZ310CEALSC	Cambridge Entrance Lock with Double Cylinder Deadbolt keyed alike	Satin Chrome
EZ310HNALSN	Hawthorn Entrance Lock with Double Cylinder Deadbolt keyed alike	Satin Nickel
EZ310HNALBLK	Hawthorn Entrance Lock with Double Cylinder Deadbolt keyed alike	Black
EZ310OSALSS	Olympus Entrance Lock with Double Cylinder Deadbolt keyed alike	Stainless Steel

*Deadbolt in Stainless Steel*



*Hawthorn lever*



*Cambridge lever*



*Olympus knob*

# BALA KNOBSET

## 100C Series

### BALA KNOB LOCKS & LATCHES

- All Locks & Latch Sets have 60mm to 70mm Adjustable Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm
- BP = Box Packaging
- KA = Keyed Alike



### ENTRANCE LOCK DISPLAY and BOX PACKAGING

CODE	DESCRIPTION	FINISH
EZ100BAALAB EZ100BAALABBP EZ100BAALABKABP	Operated by key outside and push button inside (Inside always free)	Antique Brass
EZ100BAALPB EZ100BAALPBBP	Operated by key outside and push button inside (Inside always free)	Polished Brass
EZ100BAALSS EZ100BAALSSBP EZ100BAALSSKABP	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel



### PASSAGE LATCH DISPLAY and BOX PACKAGING

EZ101BAALAB EZ101BAALABBP	Plain knob inside and outside	Antique Brass
EZ101BAALPB EZ101BAALPBBP	Plain knob inside and outside	Polished Brass
EZ101BAALSS EZ101BAALSSBP	Plain knob inside and outside	Satin Stainless Steel



### PRIVACY LATCH DISPLAY and BOX PACKAGING

EZ102BAALAB EZ102BAALABBP	Push button inside emergency release outside (With anti-lockout function)	Antique Brass
EZ102BAALPB EZ102BAALPBBP	Push button inside emergency release outside (With anti-lockout function)	Polished Brass
EZ102BAALSS EZ102BAALSSBP	Push button inside emergency release outside (With anti-lockout function)	Satin Stainless Steel



### DUMMY KNOB DISPLAY and BOX PACKAGING

EZ105BAAB	Rigid knob concealed fixed through the back of the door	Antique Brass
EZ105BAPB	Rigid knob concealed fixed through the back of the door	Polished Brass
EZ105BASS EZ105BASSBP	Rigid knob concealed fixed through the back of the door	Satin Stainless Steel



### DOUBLE KEYED ENTRANCE LOCK DISPLAY and BOX PACKAGING

EZ108BAALAB EZ108BAALABBP	Key locks and unlocks both sides both knobs rigid when locked	Antique Brass
EZ108BAALPB EZ108BAALPBBP	Key locks and unlocks both sides both knobs rigid when locked	Polished Brass
EZ108BAALSS EZ108BAALSSBP	Key locks and unlocks both sides both knobs rigid when locked	Satin Stainless Steel



# BALA

## KNOBSET BOXPACK

### 127mm Backset -100C Series



#### BALA KNOB LOCKS BOX PACK

- 127mm Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm
- BP = Box Packaging
- KA = Keyed Alike

#### ENTRANCE LOCKS WITH 127mm BACKSETS

CODE	DESCRIPTION	FINISH
EZ100BA127ABBP	Operated by key outside and push button inside (Inside always free)	Antique Brass
EZ100BA127PBBP	Operated by key outside and push button inside (Inside always free)	Polished Brass
EZ100BA127SSBP	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel



#### ENTRANCE LOCKS WITH 127mm BACKSETS FACTORY KEYED ALIKE

EZ100BA127ABKABP	Operated by key outside and push button inside (Inside always free)	Antique Brass
EZ100BA127SSKABP	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel




#### DOUBLE KEYED ENTRANCE LOCKS WITH 127mm BACKSETS

EZ108BA127ABBP	Key locks and unlocks both sides both knobs rigid when locked	Antique Brass
EZ108BA127PBBP	Key locks and unlocks both sides both knobs rigid when locked	Polished Brass
EZ108BA127SSBP	Key locks and unlocks both sides both knobs rigid when locked	Satin Stainless Steel



# OLYMPUS KNOBSET

## 100C Series



### OLYMPUS KNOB LOCKS & LATCHES

- All Locks & Latch Sets have 60mm to 70mm Adjustable Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm
- BP = Box Packaging

#### ENTRANCE LOCK

CODE	DESCRIPTION	FINISH	PACKAGING
EZ1000SALSS	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel	Display
EZ1000SALSSBP	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel	Box Pack



#### PASSAGE LATCH

EZ1010SALSS	Plain knob inside and outside	Satin Stainless Steel	Display
EZ1010SALSSBP	Plain knob inside and outside	Satin Stainless Steel	Box Pack



#### PRIVACY LATCH

EZ1020SALSS	Push button inside emergency release outside (With anti-lockout function)	Satin Stainless Steel	Display
EZ1020SALSSBP	Push button inside emergency release outside (With anti-lockout function)	Satin Stainless Steel	Box Pack



#### DUMMY KNOB

EZ105OSSS	Rigid knob concealed fixed through the back of the door	Satin Stainless Steel	Display
EZ105OSSSBP	Rigid knob concealed fixed through the back of the door	Satin Stainless Steel	Box Pack



# RESIDENTIAL ACCESSORIES

## Components

CODE	FUNCTION	FINISH
EZ78024RUBBERRING	Black Rubber Sealing Ring	Black
EZ9101PACKER	EZSET "T" Strike Packer (EZ9101)	Black

EZ9035LINK	35mm Extension Link
EZ9057LINK	57mm Extension Link
EZ9067LINK	67mm Extension Link

EZ9010AB	127mm Backset Dead Locking	Antique Brass
EZ9010PB	127mm Backset Dead Locking	Polished Brass
EZ9010SS	127mm Backset Dead Locking	Stainless Steel

EZ9081AB	EZSET 60-70mm Adjustable Dead Locking Latch	Antique Brass
EZ9081PB	EZSET 60-70mm Adjustable Dead Locking Latch	Polished Brass
EZ9081SS	EZSET 60-70mm Adjustable Dead Locking Latch	Stainless Steel

EZ9082AB	EZSET 60-70mm Adjustable Spring Latch	Antique Brass
EZ9082PB	EZSET 60-70mm Adjustable Spring Latch	Polished Brass
EZ9082SS	EZSET 60-70mm Adjustable Spring Latch	Stainless Steel

EZ9095SS	EZSET 95mm Deadlocking Latch	Stainless Steel
EZ9095AB	EZSET 95mm Deadlocking Latch	Antique Brass
EZ9095PB	EZSET 95mm Deadlocking Latch	Polished Brass

EZ9101AB	EZSET "T" Strike Plate	Antique Brass
EZ9101PB	EZSET "T" Strike Plate	Polished Brass
EZ9101SS	EZSET "T" Strike Plate	Stainless Steel

EZ9102AB	EZSET Full Lipped Strike Plate	Antique Brass
EZ9102PB	EZSET Full Lipped Strike Plate	Polished Brass
EZ9102SS	EZSET Full Lipped Strike Plate	Stainless Steel

EZ9100C5PBALASSKD	EZSET 5 pin Bala Cylinder with 3 keys	Stainless Steel
EZ9100C5PHNSSKD	EZSET 5 pin Hawthorn/Cambridge Cylinder with 3 keys	Stainless Steel

GTMK	Master Key Cylinders
GTEK	Extra Keys cut to customer instructions
GTKA	Key cylinders alike

GTH1/4	1/4 BSW Threaded Rod for dummy knobs	
EZ9005SSS	60mm-70mm adjustable drive in deadlocking latch - add EZ9035 link to make a 95mm drive in deadlocking latch -add EZ9057 link to make a 127mm drive in deadlocking latch	Stainless Steel




# HAWTHORN LEVERSET

## 500HN Series

### HAWTHORN LEVER LOCKS & LATCHES

- All Locks & Latch Sets have 60mm to 70mm Adjustable Backsets
- Concealed Fixing
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm
- BP = Box Packaging



### ENTRANCE LOCK

CODE	FUNCTION	FINISH
EZ500HNALSDN	Operated by key outside and turn button inside	Satin Nickel
EZ500HNALSDNBP	Operated by key outside and turn button inside	Satin Nickel
EZ500HNALBLKBP	Operated by key outside and turn button inside	Black



### PASSAGE LATCH

EZ501HNALSDN	Plain Lever inside and outside	Satin Nickel
EZ501HNALSDNBP	Plain Lever inside and outside	Satin Nickel
EZ501HNALBLKBP	Plain Lever inside and outside	Black



### PRIVACY LATCH

EZ502HNALSDN	Turn Knob inside Emergency release outside	Satin Nickel
EZ502HNALSDNBP	Turn Knob inside Emergency release outside	Satin Nickel
EZ502HNALBLKBP	Turn Knob inside Emergency release outside	Black



### DUMMY LEVER

EZ515HNSDN	Rigid Lever	Satin Nickel
EZ515HNSDNBP	Rigid Lever	Satin Nickel
EZ515HNBLKBP	Rigid Lever	Black



# CAMBRIDGE LEVERSET

## 500CE Series

### CAMBRIDGE LEVER LOCKS & LATCHES

- All Locks & Latch Sets have 60mm to 70mm Adjustable Backsets
- Concealed Fixing
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm
- BP = Box Packaging



### ENTRANCE LOCK

CODE	FUNCTION	FINISH
EZ500CEALSC	Operated by key outside and turn button inside	Satin Chrome
EZ500CEALSCBP	Operated by key outside and turn button inside	Satin Chrome



### PASSAGE LATCH

EZ501CEALSC	Plain Lever inside and outside	Satin Chrome
EZ501CEALSCBP	Plain Lever inside and outside	Satin Chrome



### PRIVACY LATCH

EZ502CEALSC	Turn Knob inside Emergency release outside	Satin Chrome
EZ502CEALSCBP	Turn Knob inside Emergency release outside	Satin Chrome



### DUMMY LEVER

EZ515CESC	Rigid Lever	Satin Chrome
EZ515CESCBP	Rigid Lever	Satin Chrome



# DEADBOLTS

## 200B Series

### DEADBOLT LOCKS

• All Deadbolt locks have 60mm to 70mm Adjustable

• Door Preparation: 54mm

• Door Thickness: 35mm - 45mm

Note: Extension kits are available for this product - see accessories

### SINGLE CYLINDER DEADBOLTS

CODE	DESCRIPTION	FINISH
EZ200BALAB	Operated by key outside and Turn Knob inside. Display pack.	Antique Brass
EZ200BALABBP	Operated by key outside and Turn Knob inside. Box pack.	Antique Brass
EZ200BALBLKBP	Operated by key outside and Turn Knob inside. Box pack.	Black
EZ200BALPB	Operated by key outside and Turn Knob inside. Display pack.	Polished Brass
EZ200BALPBBP	Operated by key outside and Turn Knob inside. Box pack.	Polished Brass
EZ200BALSS	Operated by key outside and Turn Knob inside. Display pack.	Satin Stainless Steel
EZ200BALSSBP	Operated by key outside and Turn Knob inside. Box pack.	Satin Stainless Steel
EZ200BALSSKABP	Operated by key outside and Turn Knob inside. Box pack. Keyed alike up to quantity of 20 (order the number keyed alike that you require).	Satin Stainless Steel



### DOUBLE CYLINDER DEADBOLTS

EZ210BALAB	Operated by key both sides. Display pack.	Antique Brass
EZ210BALABBP	Operated by key both sides. Box pack.	Antique Brass
EZ210BALBLKBP	Operated by key both sides. Box pack.	Black
EZ210BALPB	Operated by key both sides. Display pack.	Polished Brass
EZ210BALPBBP	Operated by key both sides. Box pack.	Polished Brass
EZ210BALSS	Operated by key both sides. Display pack.	Satin Stainless Steel
EZ210BALSSBP	Operated by key both sides. Box pack.	Satin Stainless Steel
EZ210BALSSKABP	Operated by key both sides. Box pack. Keyed alike up to quantity of 20 (order the number keyed alike that you require).	Satin Stainless Steel





# DEADBOLTS ACCESSORIES

## DEADBOLT LATCH

EZ9092SS	EZSET 127mm Fixed Backset Dead Bolt Latch	Stainless Steel
EZ9091AB	EZSET 60-70mm Adjustable Dead Bolt Latch	Antique Brass
EZ9091PB	EZSET 60-70mm Adjustable Dead Bolt Latch	Polished Brass
EZ9091SS	EZSET 60-70mm Adjustable Dead Bolt Latch	Stainless Steel



## DEADBOLT SCREWS

CODE	DESCRIPTION	FINISH
EZSCREW60AB200	Single Cylinder 60mm Deadbolt Screw	Antique Brass
EZSCREW60PB200	Single Cylinder 60mm Deadbolt Screw	Polished Brass
EZSCREW60SS200	Single Cylinder 60mm Deadbolt Screw	Satin Stainless Steel
EZSCREW80AB210	Double Cylinder 80mm Deadbolt Screw	Antique Brass
EZSCREW80PB210	Double Cylinder 80mm Deadbolt Screw	Polished Brass
EZSCREW80SS210	Double Cylinder 80mm Deadbolt Screw	Satin Stainless Steel
EZSCREW80AB210OW	Double Cylinder 80mm Deadbolt Screw Oneway	Antique Brass
EZSCREW80PB210OW	Double Cylinder 80mm Deadbolt Screw Oneway	Polished Brass
EZSCREW80SS210OW	Double Cylinder 80mm Deadbolt Screw Oneway	Satin Stainless Steel



## DEADBOLT TAIL BARS

EZ210EXTBG	Extended double cylinder deadbolt tailbar (check inside or outside)	Gold
EZ210EXTBB	Extended double cylinder deadbolt tailbar (check inside or outside)	Black



## EXTENSION KIT

NB. For 210 Double Cylinder deadbolt, extends to 55mm door thickness

EZ210EXTPACKAB	Double cylinder extension pack 2 tails & 2 screws 80mm	Antique Brass
EZ210EXTPACKPB	Double cylinder extension pack 2 tails & 2 screws 80mm	Polished Brass
EZ210EXTPACKSS	Double cylinder extension pack 2 tails & 2 screws 80mm	Satin Stainless Steel



## EXTENDED TAILS

EZ200EXTB75	Single cylinder tail bar 75mm	Black only
-------------	-------------------------------	------------



## EXTENDED KIT

*NB. For 200 Single Cylinder deadbolt, extends to 70mm door thickness*

EZ200EXTPACKAB	Single cylinder extension pack 1 tail & 2 screws 80mm	Antique Brass
EZ200EXTPACKPB	Single cylinder extension pack 1 tail & 2 screws 80mm	Polished Brass
EZ200EXTPACKSS	Single cylinder extension pack 1 tail & 2 screws 80mm	Satin Stainless Steel




EZ200EXTB75 x1



EZ200EXTB75 x1

## STRIKES

EZ9111AB	Ezset Deadbolt strike plate	Antique Brass
EZ9111PB	Ezset Deadbolt strike plate	Polished Brass
EZ9111SS	Ezset Deadbolt strike plate	Satin Stainless Steel



EZ9111AB/PB/SS

## TURNS

EZ200TURNAB	Turn for deadbolt single cylinder	Antique Brass
EZ200TURNBLK	Turn for deadbolt single cylinder	Black
EZ200TURNPB	Turn for deadbolt single cylinder	Polished Brass
EZ200TURNSCP	Turn for deadbolt single cylinder	Satin Chrome Plate



# BALA KNOBSET

## 100EA SERIES



### BALA KNOB COMMERCIAL LOCKS

- All Locks are available with either 60mm, 70mm, 95mm or 127mm Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 51mm
- Box Packaging Only



### ENTRANCE LOCK

CODE	DESCRIPTION	FINISH
100EABA60SS	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel
100EABA70SS	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel
100EABA127SS	Operated by key outside and push button inside (Inside always free)	Satin Stainless Steel
100EABA60AB	Operated by key outside and push button inside (Inside always free)	Antique Brass
100EABA70AB	Operated by key outside and push button inside (Inside always free)	Antique Brass
100EABA127AB	Operated by key outside and push button inside (Inside always free)	Antique Brass
100EABA60PB	Operated by key outside and push button inside (Inside always free)	Polished Brass
100EABA70PB	Operated by key outside and push button inside (Inside always free)	Polished Brass
100EABA127PB	Operated by key outside and push button inside (Inside always free)	Polished Brass



### PASSAGE LATCH

101EABA60SS	Plain knob inside & outside	Stainless Steel
101EABA70SS	Plain knob inside & outside	Stainless Steel



### PRIVACY LATCH

102EABA60SS	Push button inside, emergency release outside	Stainless Steel
102EABA70SS	Push button inside, emergency release outside	Stainless Steel



### STOREROOM LOCK

104EABA60SS	Key retracts latchbolt outside knob always rigid inside knob always free	Satin Stainless Steel
104EABA70SS	Key retracts latchbolt outside knob always rigid inside knob always free	Satin Stainless Steel
104EABA127SS	Key retracts latchbolt outside knob always rigid inside knob always free	Satin Stainless Steel



# BALA KNOBSET 100EA SERIES



## BALA KNOB COMMERCIAL LOCKS

- All Locks are available with either 60mm, 70mm, 95mm or 127mm Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 51mm
- Box Packaging Only

## DOUBLE KEY ENTRANCE LOCK

108EABA60SS	Key locks and unlocks both sides both knobs rigid when locked	Satin Stainless Steel
108EABA70SS	Key locks and unlocks both sides both knobs rigid when locked	Satin Stainless Steel
108EABA127SS	Key locks and unlocks both sides both knobs rigid when locked	Satin Stainless Steel



## CLASSROOM LOCK

109EABA60SS	Key locks and unlocks outside knob inside knob always free	Satin Stainless Steel
109EABA70SS	Key locks and unlocks outside knob inside knob always free	Satin Stainless Steel
109EABA127SS	Key locks and unlocks outside knob inside knob always free	Satin Stainless Steel



# BALA/EMPIRE Knob & Lever Locksets



## BALA KNOB & LEVER LOCKSETS

- All Locks are available with either 60mm, 70mm, 95mm or 127mm Backsets
- Door Preparation: 54mm
- Door Thickness: 35mm - 51mm
- Box Packaging Only

### ENTRANCE LOCK

CODE	DESCRIPTION	FINISH
100EA500EV60SS	Operated by key outside and push button inside (Inside lever always free)	Satin Stainless Steel
100EA500EV70SS	Operated by key outside and push button inside (Inside lever always free)	Satin Stainless Steel
100EA500EV127SS	Operated by key outside and push button inside (Inside lever always free)	Satin Stainless Steel




### STOREROOM LOCK

104EA504EV60SS	Key retracts latchbolt outside knob always rigid inside lever always free	Satin Stainless Steel
104EA504EV70SS	Key retracts latchbolt outside knob always rigid inside lever always free	Satin Stainless Steel
104EA504EV127SS	Key retracts latchbolt outside knob always rigid inside lever always free	Satin Stainless Steel



### CLASSROOM LOCK

109EA509EV60SS	Key locks and unlocks outside knob inside lever always free	Satin Stainless Steel
109EA509EV70SS	Key locks and unlocks outside knob inside lever always free	Satin Stainless Steel
109EA509EV127SS	Key locks and unlocks outside knob inside lever always free	Satin Stainless Steel




# RAGLAN LEVERSET

## 500RN SERIES

### COMMERCIAL LEVER LOCKS & LATCHES

- Backset: 60mm-70mm adjustable, 127mm
- Door Preparation: 54mm
- Door Thickness: 35mm - 51mm
- Box Packaging Only



### ENTRANCE LOCK

CODE	FUNCTION	FINISH
500RNALSN	Operated by key outside and turn button inside. Adjustable Backset	Satin Nickel
500RN127SN	Operated by key outside and turn button inside. 127mm Backset	Satin Nickel
500RNALPB	Operated by key outside and turn button inside	Polished Brass



### PASSAGE LATCH

501RNALSN	Plain Lever inside and outside. Adjustable Backset	Satin Nickel
-----------	----------------------------------------------------	--------------



### PRIVACY LATCH

502RNALSN	Turn Knob inside Emergency release outside Adjustable Backset	Satin Nickel
-----------	---------------------------------------------------------------	--------------



### DUMMY LEVER

515RNSN	Rigid Lever	Satin Nickel
---------	-------------	--------------



### STOREROOM LOCK

504RNALSN	Key withdraws Latchbolt outside always free on the inside. Adjustable Backset	Satin Nickel
504RN127SN	Key withdraws Latchbolt outside always free on the inside. 127mm Backset	Satin Nickel



### CLASSROOM LOCK

509RNALSN	Operated by key outside always free on the inside. Adjustable Backset	Satin Nickel
509RN127SN	Operated by key outside always free on the inside. 127mm Backset	Satin Nickel



### ACCESSORIES

EZ9049SS	127mm Backset for Raglan Lock	Stainless Steel
EZ9083SS	60-70mm adjustable backset Dead Locking	Stainless Steel
EZ9084SS	60-70mm adjustable backset Spring Latch	Stainless Steel



# EMPIRE LEVERSET

## 500EV SERIES



### COMMERCIAL LEVER LOCKS & LATCHES

Locksets have outside lever protection through a clutch which is designed to prevent vandalism & incidental impact from outside forces. The clutch is engaged and disengaged with the key.

• All Locks are available with either 60mm, 70mm, 95mm or 127mm Backsets

• Door Preparation: 54mm

• Door Thickness: 35mm - 51mm

• Box Packaging Only

#### ENTRANCE LOCK

CODE	FUNCTION	FINISH
500EV60SC	Operated by key outside (When locked Clutch operates) and push button inside. 60mm Backset	Satin Chrome
500EV70SC	Operated by key outside (When locked Clutch operates) and push button inside. 70mm Backset	Satin Chrome
500EV127SC	Operated by key outside (When locked Clutch operates) and push button inside. 127mm Backset	Satin Chrome



#### PASSAGE LATCH

501EV60SC	Plain Lever inside and outside. 60mm Backset	Satin Chrome
501EV70SC	Plain Lever inside and outside. 70mm Backset	Satin Chrome



#### PRIVACY LATCH

502EV60SC	Push Button inside Emergency release outside. 60mm Backset	Satin Chrome
502EV70SC	Push Button inside Emergency release outside. 70mm Backset	Satin Chrome



#### COMMUNICATING LOCK

507EV60SC	Lever Handle inside always free (Deadlocking Latch). 60mm Backset	Satin Chrome
507EV70SC	Lever Handle inside always free (Deadlocking Latch). 70mm Backset	Satin Chrome
507EV127SC	Lever Handle inside always free (Deadlocking Latch). 127mm Backset	Satin Chrome



#### STOREROOM LOCK

504EV60SC	Key retracts Latchbolt outside (Clutch always engaged) always free on the inside. 60mm Backset	Satin Chrome
504EV70SC	Key retracts Latchbolt outside (Clutch always engaged) always free on the inside. 70mm Backset	Satin Chrome
504EV127SC	Key retracts Latchbolt outside (Clutch always engaged) always free on the inside. 127mm Backset	Satin Chrome



#### CLASSROOM LOCK

509EV60SC	Operated by key outside (When locked Clutch operates) always free on the inside. 60mm Backset	Satin Chrome
509EV70SC	Operated by key outside (When locked Clutch operates) always free on the inside. 70mm Backset	Satin Chrome
509EV127SC	Operated by key outside (When locked Clutch operates) always free on the inside. 127mm Backset	Satin Chrome



# DEADBOLTS





## Light Commercial - 200LC Series

### LIGHT COMMERCIAL SINGLE CYLINDER DEADBOLTS

- Backset: 60mm-70mm adjustable, 127mm available
- Door Preparation: 54mm
- Door Thickness: 40mm - 51mm
- Box Packaging Only

200LCALAB	Operated by key outside and Turn Knob inside	Antique Brass
200LCALPB	Operated by key outside and Turn Knob inside	Polished Brass
200LCALSS	Operated by key outside and Turn Knob inside	Stainless Steel



### LIGHT COMMERCIAL DOUBLE CYLINDER DEADBOLTS

- Backset: 60mm-70mm adjustable, 127mm available
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm

210LCALAB	Operated by key both sides	Antique Brass
210LCALPB	Operated by key both sides	Polished Brass
210LCALSS	Operated by key both sides	Stainless Steel

Double Cylinder only: Concealed fixing system via allen key and hammer-in non removeable studs.

## Heavy - 200HC Series



### HEAVY COMMERCIAL SINGLE CYLINDER DEADBOLTS

- Backset: 60mm-70mm adjustable, 127mm available
- Door Preparation: 54mm
- Door Thickness: 35mm - 51mm
- Box Packaging Only

200HCALSS	Operated by key outside and Turn Knob inside. Heavy duty shroud	Satin Stainless Steel
-----------	-----------------------------------------------------------------	-----------------------



### HEAVY COMMERCIAL DOUBLE CYLINDER DEADBOLTS

- Backset: 60mm-70mm adjustable, 127mm available
- Door Preparation: 54mm
- Door Thickness: 35mm - 45mm
- Box Packaging Only

210HCALSS	Operated by key both sides. Heavy duty shroud	Satin Stainless Steel
-----------	-----------------------------------------------	-----------------------





# COMMERCIAL ACCESSORIES

## DEADBOLT

EZ9058HCSS	EZSET 70mm Backset HC Deadbolt	Stainless Steel
------------	--------------------------------	-----------------



## KNOBSET

EZ9061EASS	60mm Fire Rated Backset DEADLOCKING	Stainless Steel
EZ9061EAAB	60mm Fire Rated Backset DEADLOCKING	Antique Brass
EZ9061EAPB	60mm Fire Rated Backset DEADLOCKING	Polished Brass
EZ9004EASS	70mm Fire Rated Backset SPRING LATCH	Stainless Steel
EZ9072EASS	70mm Fire Rated Backset DEADLOCKING	Stainless Steel
EZ9072EAAB	70mm Fire Rated Backset DEADLOCKING	Antique Brass
EZ9072EAPB	70mm Fire Rated Backset DEADLOCKING	Polished Brass




## STRIKE PLATES

500EVHDSRIKE	500EV Heavy Duty Strike Plate	Stainless Steel
--------------	-------------------------------	-----------------



## CYLINDERS

500C4CYL	6 pin cylinder with 2 keys - C4 Profile	Satin Chrome
500SCHCYL	6 pin cylinder with 2 keys - SCH Profile	Satin Chrome





**FEDERAL**

**Heavy Duty High Security Chain**

**Chain Type:** Extra High Security Chain  
**Chain Construction:** Hardened Boron Alloy Steel with vinyl cover  
**Durability:** Anti cutting



Product Code	Chain Dimensions (mm)			Packaging
	Chain Eye Internal	Link Diameter	Chain Length	
33002	29.2 x 14	10	600	Box
33003	29.2 x 14	10	900	Box
33004	29.2 x 14	10	1200	Box
33006	29.2 x 14	10	1800	Box
33008	29.2 x 14	10	2400	Box
330010	29.2 x 14	10	3000	Box

# FEDERAL

## Heavy Duty Commercial Solid Steel Padlocks (AU700 Series)

### PADLOCK TYPE AU700 SERIES HEAVY DUTY SOLID STEEL PADLOCKS

**Padlock Construction** Hardened Steel Lock Body with electric coating

**Shackle Construction** Molybdenum Shackle with quality plating (Stainless Steel Shackles are available)

**Locking System** Dual Stainless Steel ball locking mechanism

**High Security** Anti Drilling and sliding cover plate designed to protect cylinder

**Rekeyable** Rekeyable C4 Keyway with changeable 6 pin brass cylinder. Accepts 570 type barrel for restricted keying

**Clever Shackle Change System** Yes

**Anti-Picking Pinning Cylinder** Cylinder with mushroom/anti-bumping/anti-drill pins resistant to picking

**Number of Keys Per Lock** 2 keys



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU710SL	46	49	28	7.93	25	20	C4	Display

Product Code	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
	Diameter	Clearance			
793050R	7.93	50	20	Molybdenum	Box
793075R	7.93	75	20	Molybdenum	Box
7930102R	7.93	102	20	Molybdenum	Box
793025S	7.93	25	20	Stainless Steel	Box
793050S	7.93	50	20	Stainless Steel	Box
793075S	7.93	75	20	Stainless Steel	Box
7930102S	7.93	102	20	Stainless Steel	Box

Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU720SL	54	49	30	9.5	25	20	C4	Display



Additional Shackles	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
	Diameter	Clearance			
Product Code					
950050R	9.5	50	20	Molybdenum	Box
950075R	9.5	75	20	Molybdenum	Box
950102R	9.5	102	20	Molybdenum	Box
950025S	9.5	25	20	Stainless Steel	Box
950050S	9.5	50	20	Stainless Steel	Box
950075S	9.5	75	20	Stainless Steel	Box
950102S	9.5	102	20	Stainless Steel	Box

Closed Shackle	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
Product Code								
AU720PSL	54	80	30	9.5	27	20	C4	Display

Shackles can be changed if required ref to product code AU720/SL



	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
Product Code								
AU730SL	61	53	32	11	25	31	C4	Display



Additional Shackles	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
	Diameter	Clearance			
Product Code					
110050R	11	50	31	Molybdenum	Box
110075R	11	75	31	Molybdenum	Box
110025S	11	25	31	Stainless Steel	Box
110050S	11	50	31	Stainless Steel	Box
110075S	11	75	31	Stainless Steel	Box



Closed Shackle	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU730PSL	61	87	32	11	27	23	C4	Display

Shackles can be changed if required ref to product code AU730/SL



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU740SL	70	60	34	14	25	29	C4	Display

Additional Shackles		Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
Product Code	Diameter	Clearance	Thickness			
140050R	14	50		29	Molybdenum	Box
140075R	14	75		29	Molybdenum	Box



Closed Shackle	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU740PSL	70	94	34	14	31	25	C4	Display

Shackles can be changed if required ref to product code AU740/SL

# FEDERAL

## Heavy Duty Commercial Solid Brass Padlocks (AU700 Series)

**PADLOCK TYPE** AU700 SERIES HEAVY DUTY SOLID BRASS PADLOCKS

**Padlock Construction** Solid Brass Lock Body with Satin Chrome plating

**Shackle Construction** Molybdenum Shackle with quality plating (Stainless Steel Shackles are available)

**Locking System** Dual Stainless Steel ball locking mechanism

**High Security** Anti Drilling and sliding cover plate designed to protect cylinder

**Rekeyable** Rekeyable C4 Keyway with changeable 6 pin brass cylinder. Accepts 570 type barrel for restricted keying

**Clever Shackle Change System** Yes

**Anti-Picking Pinning Cylinder** Cylinder with mushroom/anti-bumping/anti-drill pins resistant to picking

**Number of Keys Per Lock** 2 keys



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU710BCRSL	46	49	28	7.93	25	20	C4	Display

Product Code	Additional Shackles		Additional Shackle Dimensions (mm)		Finish	Packaging
	Diameter	Clearance	Internal Width	Thickness		
793050R	7.93	50	20		Molybdenum	Box
793075R	7.93	75	20		Molybdenum	Box
7930102R	7.93	102	20		Molybdenum	Box
793025S	7.93	25	20		Stainless Steel	Box
793050S	7.93	50	20		Stainless Steel	Box
793075S	7.93	75	20		Stainless Steel	Box
7930102S	7.93	102	20		Stainless Steel	Box



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU720BCRSL	54	49	30	9.5	25	20	C4	Display

Product Code	Additional Shackle Dimensions (mm)			Finish	Packaging
	Diameter	Clearance	Internal Width		
950050R	9.5	50	20	Molybdenum	Box
950075R	9.5	75	20	Molybdenum	Box
950102R	9.5	102	20	Molybdenum	Box
950025S	9.5	25	20	Stainless Steel	Box
950050S	9.5	50	20	Stainless Steel	Box
950075S	9.5	75	20	Stainless Steel	Box
950102S	9.5	102	20	Stainless Steel	Box



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU720PBCRSL	54	80	30	9.5	27	20	C4	Display

Shackles can be changed if required ref to product code AU720BCRSL





Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU730BCRSL	61	53	32	11	26	31	C4	Display

Additional Shackles	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
	Diameter	Clearance			
110050R	11	50	31	Molybdenum	Box
110075R	11	75	31	Molybdenum	Box
110025S	11	25	31	Stainless Steel	Box
110050S	11	50	31	Stainless Steel	Box
110075S	11	75	31	Stainless Steel	Box



Closed Shackle	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU730PBCRSL	61	87	32	11	27	23	C4	Display

Shackles can be changed if required ref to product code AU730BCRSL

# Shackle Change Instructions for AU700 Series Steel & Brass Padlocks and AU800 Series Stainless Steel Padlocks



1. Prepare a thumbtack.




2. OPEN the padlock.



3. Take the thumbtack to press the pin in the shackle retaining screw hole and pull the shackle.



4. Take out the shackle when turning the key.



5. Turn the key in the opening position and take the thumbtack to press the pin in the shackle retaining screw hole at the same time. Push the new shackle into the shackle hole. Release the key and thumbtack.



6. Done.

# Key Retention Instructions for AU700/ AU800 Series Steel & Brass Padlocks




1. Prepare a thumbtack and 3.0mm allen key.



2. **OPEN** the padlock.




3. Take the thumbtack to press the pin in the shackle retaining screw hole and pull the shackle.




4. Take out the shackle when turning the key.




5. Turn the key in the opening position and take the thumbtack to press the pin in the shackle retaining screw hole at the same time.



6. Take out the shackle spring.



7. Use allen key to take out the screw in the shackle hole and take out all components.



8. Prepare a key retention driver.



9. Take two cylinder screws.



10. Change to key retention driver. **Please pay attention on the driver direction.**



11. Insert the screws.



12. Put the cylinder set into the lock body.




13. Put the anti-drill plate and bottom plate together and insert into the bottom of the lock body.




14. Put the nut into the bottom plate.




15. Put the small steel ball in the hole and put the screw through the washer.




16. Put the screw into the nut and screw in tightly.



17. Turn the key in the opening position and take the thumbtack to press the pin in the shackle retaining screw hole at the same time.



18. Put the shackle spring into shackle hole.



19. Put the shackle into the shackle hole. Release the key and thumbtack.



20. Done.

# FEDERAL

## Heavy Duty Commercial Solid Steel Rectangle Padlocks

**PADLOCK TYPE** AU731/AU741 SERIES HEAVY DUTY SOLID STEEL RECTANGLE PADLOCKS

**Padlock Construction** Solid Steel Lock Body with electric coating

**Shackle Construction** Molybdenum Shackle with quality Plating

**Locking System** Stainless Steel ball locking mechanism

**High Security** Anti Drilling and sliding cover plate design to protect cylinder

**Rekeyable** Rekeyable C4 Keyway with changeable 6 pin brass cylinder. Accepts 570 type barrel for restricted keying

**Clever Shackle Change System** No

**Anti-Picking Pinning Cylinder** Cylinder with mushroom/anti-bumping/anti-drill pins resistant to picking

**Number of Keys Per Lock** 2 keys



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU731	82	61	32	11.1	16.15	27	C4	Display
AU741	103	70	34	14	26.9	48	C4	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU731DS	90	61	32	11.1	16.15	13	C4	Display
AU741DS	103	70	34	14	26.9	16	C4	Display

# FEDERAL

## Heavy Duty Commercial Solid Steel Padlocks

### PADLOCK TYPE AU900 SERIES HEAVY DUTY SOLID STEEL PADLOCKS

**Padlock Construction** Solid Steel Lock Body with electric coating

**Shackle Construction** Molybdenum Shackle with quality plating (Stainless Steel Shackles are available)

**Locking System** Dual Stainless Steel ball locking mechanism

**High Security** Anti Drilling and sliding cover plate design to protect cylinder

**Rekeyable** Rekeyable C4 Keyway with changeable 6 pin brass cylinder. Accepts 570 type barrel for restricted keying

**Clever Shackle Change System** Yes

**Anti-Picking Pinning Cylinder** Cylinder with mushroom/anti-bumping/anti-drill pins resistant to picking

**Number of Keys Per Lock** 2 keys



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AUS900R	64	57	27	11	27	23	C4	Display

Product Code	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
	Diameter	Clearance			
110050R	11	50	31	Molybdenum	Box
110075R	11	75	31	Molybdenum	Box
110025S	11	25	31	Stainless Steel	Box
110050S	11	50	31	Stainless Steel	Box
110075S	11	75	31	Stainless Steel	Box

# FEDERAL

## Heavy Duty Commercial Stainless Steel Padlocks (AU800 Series)

**PADLOCK TYPE** AU800 SERIES HEAVY DUTY SOLID STAINLESS STEEL  
PADLOCKS

**Padlock Construction** Stainless Steel Lock Body with anti-corrosion

**Shackle Construction** Stainless Steel Shackle

**Locking System** Dual Stainless Steel ball locking mechanism

**High Security** High Security

**Rekeyable** Rekeyable C4 Keyway with changeable 6 pin brass cylinder. Accepts 570 type barrel for restricted keying

**Clever Shackle Change System** Yes

**Anti-Picking Pinning Cylinder** Cylinder with mushroom/anti-bumping/  
anti-drill pins resistant to picking

**Number of Keys Per Lock** 2 keys



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU840	39	46	20	6.3	26	20	C4	Display

Product Code	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
	Diameter	Clearance			
635050S	6.35	50	20	Stainless Steel	Box
635075S	6.35	75	20	Stainless Steel	Box
635102S	6.35	102	20	Stainless Steel	Box





Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU845	44	46	23	7.9	27	20	C4	Display

Additional Shackles		Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
Product Code		Diameter	Clearance			
793050S		7.93	50	20	Stainless Steel	Box
793075S		7.93	75	20	Stainless Steel	Box
7930102S		7.93	102	20	Stainless Steel	Box



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU850	51	54	25	9.5	26	20	C4	Display

Additional Shackles		Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
Product Code		Diameter	Clearance			
950050S		9.5	50	20	Stainless Steel	Box
950075S		9.5	75	20	Stainless Steel	Box
950102S		9.5	102	20	Stainless Steel	Box



Product Code	Closed Shackle	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
		Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU850P		51	86	25	9.5	26	21	C4	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU860	63	58	25	11.1	26	31	C4	Display

Additional Shackles	Additional Shackle Dimensions (mm)					
Product Code	Diameter	Clearance	Internal Width	Finish	Packaging	
110050S	11	50	31	Stainless Steel	Box	
110075S	11	75	31	Stainless Steel	Box	



Closed Shackle	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
Product Code	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU860P	63	92	25	11.1	26	21	C4	Display

# Shackle Change Instructions for AU700 Series Steel & Brass Padlocks and AU800 Series Stainless Steel Padlocks




1. Prepare a thumbtack.



2. **OPEN** the padlock.



3. Take the thumbtack to press the pin in the shackle retaining screw hole and pull the shackle.



4. Take out the shackle when turning the key.



5. Turn the key in the opening position and take the thumbtack to press the pin in the shackle retaining screw hole at the same time. Push the new shackle into the shackle hole. Release the key and thumbtack.




6. Done.

# Key Retention Instructions for AU700/ AU800 Series Steel & Brass Padlocks



1. Prepare a thumbtack and 3.0mm allen key.



2. **OPEN** the padlock.




3. Take the thumbtack to press the pin in the shackle retaining screw hole and pull the shackle.



4. Take out the shackle when turning the key.




5. Turn the key in the opening position and take the thumbtack to press the pin in the shackle retaining screw hole at the same time.



6. Take out the shackle spring.



7. Use allen key to take out the screw in the shackle hole and take out all components.



8. Prepare a key retention driver.



9. Take two cylinder screws.



10. Change to key retention driver. **Please pay attention on the driver direction.**



11. Insert the screws.



12. Put the cylinder set into the lock body.



13. Put the anti-drill plate and bottom plate together and insert into the bottom of the lock body.




14. Put the nut into the bottom plate.




15. Put the small steel ball in the hole and put the screw through the washer.




16. Put the screw into the nut and screw in tightly.



17. Turn the key in the opening position and take the thumbtack to press the pin in the shackle retaining screw hole at the same time.



18. Put the shackle spring into shackle hole.



19. Put the shackle into the shackle hole. Release the key and thumbtack.



20. Done.

# FEDERAL

## Commercial Solid Brass Padlocks (AU900 Series)

<b>PADLOCK TYPE</b>	<b>AU900 SERIES SOLID BRASS PADLOCKS</b>
<b>Padlock Construction</b>	Solid Brass Lock Body Brass Finish
<b>Shackle Construction</b>	Molybdenum Shackle with quality Plating
<b>Locking System</b>	Dual Stainless Steel ball locking mechanism
<b>Rekeyable</b>	Rekeyable C4 Keyway with changeable 6 pin brass cylinder. Accepts 570 type barrel for restricted keying
<b>Plug Type</b>	570 Type
<b>Shackle Change</b>	Yes
<b>Anti-Picking Pinning Cylinder</b>	Cylinder with mushroom/anti-bumping/anti-drill pins resistant to picking
<b>Number of Keys Per Lock</b>	2 keys
<b>KA = Keyed Alike</b>	



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)				
	Width	Height	Thickness	Diameter	Clearance	Internal Width	Key-way	Packaging
AU904R	40	33	15	7.93	22	22	C4	Display
AU904RBP	40	33	15	7.93	22	22	C4	Box
AU904RBPKA	40	33	15	7.93	22	22	C4	Box

Additional Shackles	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
	Diameter	Clearance			
200200090005	7.93	50	20	Molybdenum	Box
200200090006	7.93	75	20	Molybdenum	Box
200200090007	7.93	102	20	Molybdenum	Box
200200090012S	7.93	25	20	Stainless Steel	Box
200200090005S	7.93	50	20	Stainless Steel	Box
200200090006S	7.93	75	20	Stainless Steel	Box
200200090007S	7.93	102	20	Stainless Steel	Box





Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU906R	45	37	16	8.8	25	20	C4	Display
AU906RBP	45	37	16	8.8	25	20	C4	Box
AU906RBPKA	45	37	16	8.8	25	20	C4	Box

Additional Shackles	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
Product Code	Diameter	Clearance			
200200090009	8.8	50	25	Molybdenum	Box
200200090010	8.8	75	25	Molybdenum	Box
200200090011	8.8	102	25	Molybdenum	Box
200200090002S	8.8	25	25	Stainless Steel	Box
200200090009S	8.8	50	25	Stainless Steel	Box
200200090010S	8.8	75	25	Stainless Steel	Box
200200090011S	8.8	102	25	Stainless Steel	Box




Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AU908R	50	40	17	9.5	25	20	C4	Display
AU908RBP	50	40	17	9.5	25	20	C4	Box
AU908RBPKA	50	40	17	9.5	25	20	C4	Box

Additional Shackles	Additional Shackle Dimensions (mm)		Internal Width	Finish	Packaging
Product Code	Diameter	Clearance			
950050R	9.5	50	25	Molybdenum	Box
950075R	9.5	75	25	Molybdenum	Box
950102R	9.5	102	25	Molybdenum	Box
950025S	9.5	25	25	Stainless Steel	Box
950050S	9.5	50	25	Stainless Steel	Box
950075S	9.5	75	25	Stainless Steel	Box
950102S	9.5	102	25	Stainless Steel	Box




# Shackle Change Instructions for AU900 Series Brass Padlocks



1. Prepare a 1.5mm allen key.




2. Use allen key to take out the screw and steel pin.



3. Open the lock to take out the shackle.



4. Turn the key to open position and push in the new shackle.



5. Put the steel pin at first and then put the screw.



6. Done.


# Key Retention Instructions for AU900 Series Brass Padlocks




1. Prepare a screw driver, 1.5mm allen key and key retention set screw.




2. OPEN the lock.



3. Screw out the screw and take out the cylinder set and oriented plate.




4. There is a key retention set screw hole in the padlock driver.



5. Put the key retention set screw in the screw hole.



6. Put the oriented plate on the cylinder set. **Please** pat attention on the plate direction.



7. Put the cylinder set with oriented plate into the lock body.



8. Put the screw in the shackle hole.



9. Done.

**FEDERAL**

# Heavy Commercial Solid Steel Shackle-less Padlocks

<b>PADLOCK TYPE</b>	<b>AUS400 SERIES HEAVY DUTY SHACKLE LESS SOLID STEEL PADLOCKS (PUK STYLE)</b>
<b>Padlock Construction</b>	Solid Steel Lock Body with electric coating
<b>Shackle Construction</b>	Molybdenum Locking Pin with quality Plating
<b>Locking System</b>	Lever locking mechanism
<b>High Security</b>	High Security
<b>Rekeyable</b>	Rekeyable C4 Keyway with changeable 6 pin brass cylinder. Accepts 570 type barrel for restricted keying
<b>Plug Type</b>	570 Type
<b>Clever Shackle Change System</b>	No
<b>Anti-Picking Pinning Cylinder</b>	Cylinder with mushroom/anti-bumping/ anti-drill pins resistant to picking
<b>Number of Keys Per Lock</b>	2 keys



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width		
AUS400-BK (STEPPED)	73	22.7	38	10.2	15	43.7	C4	Display
AUS401-BK (FLAT)	73	22.7	38	10.2	15	43.7	C4	Display

# FEDERAL

## Resettable Brass Combination Padlock

**PADLOCK TYPE** RB SERIES RESETTABLE COMBINATION BRASS PADLOCK

**Padlock Construction** Brass Padlock Body

**Shackle Construction** Steel Shackle with quality Plating

**Resettable** Easy to reset your combination anytime 3 dials with 1000 } combinations, keyless convenience



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
RB20	20	28	11.5	3.2	21	9	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
RB30	30	36	13	4.8	24	14	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
RB40	40	45	16	6	25	22	Display



# Light Commercial Resettable Brass Combination Padlock

- PADLOCK TYPE

SRB SERIES RESETTABLE COMBINATION BRASS  
PADLOCK LIGHT COMMERCIAL
- Padlock Construction

Brass Padlock Body with brass internal components
- Shackle Construction

Molybdenum Shackle with quality Plating Shackle Seal to avoid water getting into housing
- Resettable

Easy to reset your combination anytime 4 dials with 10000 combinations, keyless convenience



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
SRB50R	51	42	25	7.9	26	25	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
SRB52R	51	42	25	7.9	60	26	Display

# FEDERAL

## Resettable Aluminium Combination Padlock

**PADLOCK TYPE** RA SERIES RESETTABLE COMBINATION ALUMINIUM PADLOCK

**Padlock Construction** Aluminium Padlock Body

**Shackle Construction** Steel Shackle with quality Plating

**Resettable** Easy to reset your combination anytime 3 dials with 1000 combinations, keyless convenience



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
RA20-#COLOUR	20	28	11.5	3.2	21	9	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
RA30-#COLOUR	30	36	13	4.8	24	14	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
RA40-#COLOUR	40	45	16	6	25	22	Display

Note: The above items are available in nine colours. Please add "colour code" after the item #. Such as RA40-R.

Colour	Red	Orange	Yellow	Green	Blue	Purple	Brown	Grey	Black
Colour Code	R	O	Y	GN	B	P	BR	GY	BK

(please check colour availability)


FEDERAL



# Weatherproof Resettable Laminated Combination Padlocks

**PADLOCK TYPE**      **WEATHER PROOF RESETTABLE LAMINATED COMBINATION PADLOCKS**

- Laminated lock body with PVC cover against damage
- PVC cover is available for 6 colors
- Hardened steel shackle with PVC shackle tube
- Double lever locking
- Easy to reset the combination number
- Keyless convenience



Product Code	Dimensions (mm)						Dial	Package
	Lock Body			Shackle				
	W	H	T	D	X	Y		
RL40W#COLOUR	42	45	26	8	24	19	3 Dial	Double Blister
RL46W#COLOUR	48	48	29	10	24	23	4 Dial	

*Note: The above items are available in six colours. Please add "colour code" after the above item#. Such as RL40W-R.*

Colour	Red	Yellow	Green	Blue	Grey	Black
Colour Code	R	Y	GN	B	GY	BK

(please check colour availability)

# FEDERAL

## Heavy Duty Commercial Resettable Solid Steel Combination Padlock

<b>PADLOCK TYPE</b>	<b>SR SERIES EXTRA HEAVY DUTY RESETTABLE COMBINATION PADLOCK</b>
<b>Padlock Construction</b>	Hardened Steel Lock Body with Electric Coating internal brass components to avoid corrosion
<b>Shackle Construction</b>	Molybdenum Shackle with quality Plating
<b>Resettable</b>	Easy to reset your combination anytime 4 dials with 10000 combinations, keyless convenience
<b>Dials</b>	Legible Brass Number Wheels Satin Nickel Plated with black numbers



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
SR60	62	54	34	11.1	25	22	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
SR62	62	54	34	11.1	50	22	Display



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
SR60P	62	77	34	11.1	25	22	Display



# FEDERAL

## Non-Rekeyable Solid Brass Rectangle Padlocks

**PADLOCK TYPE** F SERIES SOLID BRASS RECTANGLE PADLOCKS

**Padlock Construction** Solid Brass Lock Body

**Shackle Construction** Hardened Steel Shackle with quality Plating

**Locking System** Lever locking mechanism

**Cylinder** Precision Pin Tumbler Brass Cylinder  
(Note this product is not rekeyable)

**Keys per Lock** 2 keys

**KA = Keyed Alike**



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)				Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width			
F606	63	43	16	10	12	18	Silca TL6R	Display	
F606KA1	63	43	16	10	12	18	Silca TL6R	Box	

## Non-Rekeyable Shielded Shackle Stainless Steel Padlocks (Disc Type)

**PADLOCK TYPE** 1000 SERIES SHIELDED SHACKLE STAINLESS STEEL PADLOCKS (DISC TYPE)

**Padlock Construction** Stainless Steel lockbody (laser welded) and Stainless Steel internal components

**Shackle Construction** Hardened Steel Shackle with quality Plating

**Locking System** Lever locking mechanism

**Cylinder** Precision 4 Pin Tumbler Brass Cylinder anti bump  
(Note this product is not rekeyable)

**Keys per Lock** 2 keys

**KA = Keyed Alike**



Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)				Key-way	Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width			
1000S	70	70	30	11	25	24	Silca AB2	Display	
1000SKA1	70	70	30	11	25	24	Silca AB2	Box	
1000SKA2	70	70	30	11	25	24	Silca AB2	Box	

# FEDERAL


## Non-Rekeyable Solid Brass Padlocks



### PADLOCK TYPE

### SOLID BRASS PADLOCK BODY

- Double-lever locking mechanism, molybdenum hardened shackle
- Anti-bump, anti-pick, and anti-drill brass cylinder with hardened pins
- Shackle seal for avoiding water sinking into padlock body
- Two keys with per lock
- Quality polyurethane bumper to protect your valuable surface
- Not rekeyable
- Key blanks available
- In both display or trade pack keyed alike or keyed to differ
- SF40KDMK1 is supplied with 2 keys but also has a master key override
- KA = Keyed Alike



Product Code	Dimensions (mm)						Keyway	Package
	Lock Body			Shackle				
	W	H	T	D	X	Y		
Without Shackle Seal								
F20DP	21	20	11	3.7	13	10	R79	Display
F20-2DP	21	20	11	3.7	13	10	R79	
F20-4DP	21	20	11	3.7	13	10	R79	
F20KD	21	20	11	3.7	13	10	R79	Box
F20KA1	21	20	11	3.7	13	10	R79	
F20KA2	21	20	11	3.7	13	10	R79	
With Shackle Seal								
SF30DP	30	28	12	5	19	16	R82	Display
SF30-2DP	30	28	12	5	19	16	R82	
SF30-4DP	30	28	12	5	19	16	R82	
SF30KD	30	28	12	5	19	16	R82	Box
SF30KA1	30	28	12	5	19	16	R82	
SF30KA2	30	28	12	5	19	16	R82	
SF40DP	40	33	15	6.3	22	22	R75	Display
SF40-2DP	40	33	15	6.3	22	22	R75	
SF40KD	40	33	15	6.3	22	22	R75	
SF40KA1	40	33	15	6.3	22	22	R75	Box
SF40KA2	40	33	15	6.3	22	22	R75	
SF40KDMK1	40	33	15	6.3	22	22	R75	
SF40/63DP	40	33	15	6.3	63	22	R75	Display
SF40/63KD	40	33	15	6.3	63	22	R75	Box
SF40/63KA1	40	33	15	6.3	63	22	R75	
SF40/63KA2	40	33	15	6.3	63	22	R75	

### Applications:

General security for a wide range of applications: Home & office, entrances and gates, outdoor/indoor storage, cabinets and toolboxes etc.


# FEDERAL



## Non-Rekeyable Weatherproof Laminated Padlocks

### PADLOCK TYPE WEATHER PROOF PADLOCK WITH SLIDING COVER

- Laminated lock body with quality plating
- Hardened steel shackle with chrome plating and PVC cover
- Anti-bump, anti-pick, anti-drill 5 pin brass cylinder
- Double stainless steel ball locking
- Sliding plastic bottom plate
- Two keys with per lock
- Quality PVC cover to protect valuable surface, the cover is available for 7 colors



Product Code	Dimensions (mm)						Keyway	Package
	Lock Body			Shackle				
	W	H	T	D	X	Y		
802WN	44	33	15	6.3	20	22	RO	Display
802WN/38	44	33	15	6.3	38	22		
802WN/50	44	33	15	6.3	50	22		
803WN	54	40	17	7.9	25	28		
803WN/38	54	40	17	7.9	38	28		
803WN/50	54	40	17	7.9	50	28		

Note: The above items are available in seven colours. Please add "colour code" after the item #. Such as 802WN-R..

Colour	Red	Orange	Yellow	Green	Blue	Grey	Black
Colour Code	R	O	Y	GN	B	GY	BK


(please check colour availability)

# FEDERAL

## Safety Plastic Padlock Series

### PADLOCK TYPE THERMOPLASTIC SAFETY PADLOCK

- Hardened steel shackle with quality plating
- Double ball locking mechanism
- 6 pin brass cylinder with 1 key
- Key-retaining for ensuring that padlock is not left unlocked
- Durable and lightweight
- Use for Lockout and Tagout application
- Write-on labels supplied with 'Padlocks: Danger' and 'property of' Labels



Product Code	Dimensions (mm)						Restricted Key Profile	Package
	Lock Body			Shackle				
	W	H	T	D	X	Y		
PL90#COLOUR	38	46	19	6.35	38	19	R3V	Box
PL90/76#COLOUR	38	46	19	6.35	76	19		

Note: The above items are available in eight colours. Please add "colour code" after the above item#. Such as PL90-R, PL90/76-R.

Colour	Red	Orange	Yellow	Green	Blue	Purple	Black	Teal
Colour Code	R	O	Y	GN	B	P	BK	TL


(please check colour availability)



- Includes one key to ensure compliance with OSHA guideline of one employee, one padlock, one key.
- Non-rekeyable ensures your safety lockout system stays pure by preventing rekeying and additional keys being cut.

**PADLOCK TYPE                      NON-CONDUCTIVE THERMOPLASTIC PADLOCK**

- Plastic shackle
- All components are plastic, copper or brass
- Double ball locking mechanism
- 6 pin brass cylinder with 1 key
- Key-retaining for ensuring that padlock is not left unlocked
- Durable and lightweight
- Use for Lockout and Tagout application
- Write-on labels supplied with Padlocks: 'Danger', and 'Property of'.



Product Code	Dimensions (mm)						Restricted Key Profile	Package
	Lock Body			Shackle				
	W	H	T	D	X	Y		
PL90PE/38#COLOUR	38	46	19	6.35	38	19	R3V	Box

*Note: The above items are available with eight colours. Please add "colour code" after the above item#. Such as PL90PE/38-R*

Colour	Red	Orange	Yellow	Green	Blue	Purple	Black	Teal
Colour Code	R	O	Y	GN	B	P	BK	TL



(please check colour availability)


- Includes one key to ensure compliance with OSHA guideline of one employee, one padlock, one key.
- Non-rekeyable ensures your safety lockout system stays pure by preventing rekeying and additional keys being cut.



# FEDERAL

## Safety Lock Out Hasps

**PADLOCK TYPE                      SAFETY LOCKOUT HASPS**

- Lockout by multiple workers at each lockout point
- Attach hasp to disconnected or switch-off switch
- Switch cannot be turned on until the last workers padlock is removed from the hasp
- Keeps facilities inoperative while repairs or adjustments are made
- Holds up to 6 padlocks



Product Code	Dimensions (mm)				Package	Material/Finish	Image
	Lock Body						
	W	H	D	X			
SLH25DP	45	114	9	25	Display	Galvanised steel body and shackle / Red plastic covered body	
SLH38DP	62	129	9	38	Display	Galvanised steel body and shackle / Red plastic covered body	

# FEDERAL

## Combination Key Boxes (SK Series)

<b>PADLOCK TYPE</b>	<b>SK SERIES COMBINATION KEY BOXES</b>
<b>Padlock Construction</b>	Zinc Alloy Powder coated black finish
<b>Shackle Construction</b>	Hardened Steel Shackle with quality Plating
<b>Resettable</b>	Easy to reset your combination anytime 4 dials with 10000 combinations, keyless convenience
<b>Dials</b>	Legible Brass Number Wheels Satin Nickel Plated with black numbers

Product Code	Padlock Body Dimensions (mm)			Supplied Shackle Dimensions (mm)			Packaging
	Width	Height	Thickness	Diameter	Clearance	Internal Width	
SKS-004	68	110	43	10	42	40	Display
SKSS-004	53	70	35	8	40	30	Display
SKLB-004	68	110	43	Wall Mounted (supplied with fixings)			Display
SKB-004	53	70	35	Wall Mounted (supplied with fixings)			Display



SKS-004  
Large Key Box with Shackle



SKLB-004  
Large Key Box - Wall Mounted



SKB-004  
Small Key Box - Wall Mounted



SKSS-004  
Small Key Box with Shackle

# FEDERAL

## Heavy Duty Hasps & Padlock Eyes

**PRODUCT TYPE** PADLOCK HASP  
**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating  
**Fixings** All fixings provided in packaging  
**Function** General use hasp



Product Code	Dimensions (mm)		Width	Finish	Packaging
	Staple	Overall			
	Capacity	Length			
1055-BK	6	92	36	Black	Display

**PRODUCT TYPE** PADLOCK HASP  
**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating  
**Fixings** All fixings provided in packaging  
**Function** General use hasp



Product Code	Dimensions (mm)		Width	Finish	Packaging
	Staple	Overall			
	Capacity	Length			
1056-BK	9.5	124	45	Black	Display

**PRODUCT TYPE** PADLOCK HASP  
**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating  
**Fixings** All fixings provided in packaging  
**Function** General use hasp



Product Code	Dimensions (mm)		Width	Finish	Packaging
	Staple	Overall			
	Capacity	Length			
1065-BK	8	120	45	Black	Display

Please note: 1000S Padlock not included

**PRODUCT TYPE** PADLOCK HASP  
**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating  
**Fixings** All fixings provided in packaging  
**Function** Single Flex Hinged Vari-Positioning Hasp



Product Code	Dimensions (mm)		Width	Finish	Packaging
	Staple	Overall			
	Capacity	Length			
1074-BK	9.5	160	45	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**      Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**      All fixings provided in packaging

**Function**      Single Flex Hinged Vari-Positioning Hasp



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
1075-BK	9.5	160	45	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**      Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**      All fixings provided in packaging

**Function**      Single Flex Hinged Vari-Positioning Hasp



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
1076-BK	13	160	62	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**      Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**      All fixings provided in packaging

**Function**      Dual Flex Hinged Vari-Positioning Hasp



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
1084-BK	9.5	200	45	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**      Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**      All fixings provided in packaging

**Function**      General use hasp



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
1085-BK	9.5	200	45	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**      Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**      All fixings provided in packaging

**Function**      Dual Flex Hinged Vari-Positioning Hasp



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
1086-BK	13	200	62	Black	Display



**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**    Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                      All fixings provided in packaging

**Function**                     Straight Bar



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
2025-BK	11	185	45	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**    Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                      All fixings provided in packaging

**Function**                     Straight Bar



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
2050-BK	11	120	45	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**    Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                      All fixings provided in packaging

**Function**                     Straight Bar



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
4025-BK	13	229	75	Black	Display

**PRODUCT TYPE**      **PADLOCK HASP**

**Product Construction**    Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                      All fixings provided in packaging

**Function**                     Straight Bar



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
4040-BK	11	229	75	Black	Display

Please note: AUS401-BK Padlock not included

**PRODUCT TYPE**      **TWIN ANGLE HASP**

**Product Construction**    Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                      All fixings provided in packaging

**Function**                     Twin Angle Brackets



Dimensions (mm)					
Staple		Overall			
Product Code	Capacity	Length	Width	Finish	Packaging
3025-BK	11	131	50	Black	Display

**PRODUCT TYPE** **TWIN ANGLE HASP**

**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating

**Fixings** All fixings provided in packaging

**Function** Twin Angle Brackets



Product Code	Dimensions (mm)			Finish	Packaging
	Staple	Overall			
	Capacity	Length	Width		
3035-BK	11	131	50	Black	Display

**PRODUCT TYPE** **TWIN ANGLE HASP**

**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating

**Fixings** All fixings provided in packaging

**Function** Twin Angle Brackets



Please note: AUS401-BK Padlock not included

Product Code	Dimensions (mm)			Finish	Packaging
	Staple	Overall			
	Capacity	Length	Width		
3036-BK	11	131	50	Black	Display

**PRODUCT TYPE** **SLIDING LOCKING BOLT**

**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating

**Fixings** All fixings provided in packaging

**Function** 3 Locking positions and can be locked open 26mm Square harden steel bolt



Please note: Padlock not included

Please note: Product dimensions are approximate.

Product Code	Dimensions (mm)			Finish	Packaging
	Staple	Overall			
	Capacity	Length	Width		
5095-BK	11	215	25	Black	Display

**PRODUCT TYPE** **PADLOCK EYES**

**Product Construction** Hardened Steel with Weather Resistant Black Electric Coating

**Fixings** All fixings provided in packaging

**Function** Padlock Eyes



Product Code	Dimensions (mm)			Finish	Packaging
	Staple	Overall			
	Capacity	Length	Width		
3045-BK	12	96	35	Black	Display

**PRODUCT TYPE**                    **PADLOCK EYES**

**Product Construction**        Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                            All fixings provided in packaging

**Function**                          Padlock Eyes Shrouded



Dimensions (mm)				
Staple				
Product Code	Capacity	Handing	Finish	Packaging
3055R-BK	13	When door is hinged on the right and opens towards you.	Black	Display
3055L-BK	13	When door is hinged on the left and opens towards you.	Black	Display

**PRODUCT TYPE**                    **SHROUDED HASP FOR AUS400 SERIES SHACKLELESS PADLOCK**

**Product Construction**        Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                            All fixings provided in packaging

**Function**                          Padlock Eyes



Please note: AUS401-BK Padlock not included

Dimensions (mm)				
Staple				
Product Code	Capacity	Finish	Packaging	
4050-BK	11	Black	Display	

**PRODUCT TYPE**                    **SHROUDED HASP FOR AUS400 SERIES SHACKLELESS PADLOCK**

**Product Construction**        Hardened Steel with Weather Resistant Black Electric Coating

**Fixings**                            All fixings provided in packaging

**Function**                          Padlock Eyes



Please note: AUS401-BK Padlock not included

Dimensions (mm)				
Staple				
Product Code	Capacity	Finish	Packaging	
4060-BK	11	Black	Display	



---

**GAIT TRADING Company Ltd**

120 Birch Avenue, PO Box 2006, Tauranga, New Zealand

Email: [sales@gait.co.nz](mailto:sales@gait.co.nz) | Office: +64 7 571 8277 | Fax: +64 7 578 3266

[www.gait.co.nz](http://www.gait.co.nz)